



Parts Book

No prices included

Thermo Pride[®]



Spirit Series by
Thermo Products, LLC



Effective April 15, 2019

Thermo Pride heating and cooling products have been the name for high-quality, handcrafted, hometown values, and high-efficiency for over 70 years. We offer a full line of oil and gas-fired warm air furnaces, air conditioning, coils and accessories.

General Notes: Prices effective April 15, 2019. Prices, terms and availability are subject to change without prior notice.

Distributor Program: Free freight on orders of 20+ units, 10+ unit fill in order within 90 days of a 20 unit order will also be free freight. All other orders will be freight collect. This offer is limited to the continental United States.

Product specifications may change. Please refer to www.thermopride.com for the most current product specifications.

TABLE OF CONTENTS	PAGE NO.
Oil Furnaces and Accessories	
Oil Furnaces - OH6, OL6, OD6, OH8, OL11, OT11, OL16, OT16, OL20, OL33	2
Oil Furnace Accessories	3
Gas Furnaces and Accessories	
Gas Furnaces - CLQS1, PGL20-33	4
Gas Furnace Accessories	4
Mobile Home/Cottage Furnaces and Accessories	
Mobile Home/Cottage Furnaces - OME, GMD1, CMA3, CMC1 Series	5
Mobile Home Accessories	5
Air Conditioning	
TC4 & TC7 Series - Condensers & Accessories	6
Air Conditioning Evaporator Coils	
AC Evaporator Coils and Cabinets	7
Air Handlers	
Air Handlers with Optional Hydronic Heating	8
Plenums and Transitions	
Plenums and Transitions	9
Spirit Oil Furnaces & Accessories	
Spirit Oil Furnaces	10
Spirit Oil Furnace Accessories	10
Terms and Conditions	
Terms and Conditions	11

Furnace and Burner Must Be Ordered Separately

MODEL NO.	DESCRIPTION	AFUE% BECKETT/ CARLIN	AFUE% RIELLO	BTU/H OUTPUT BECKETT/CARLIN	BTU/H OUTPUT RIELLO	SHIPPING WEIGHT	TRADE PRICE
380692	TP2501 - Beckett AFG Oil Burner for 6 Series						
380835	Carlin EZ-1 Oil Burner for OH6 Series Only						
380693	Riello BF3 Oil Burner for 6 Series						
OH6FA072D48	Low-Profile Highboy, Front Flue	85	86.1	60,000/72,000/90,000	60,000/72,000/90,000	280	
OH6FA072DV4	Low-Profile Highboy, Front Flue	85	86.1	60,000/72,000/90,000	60,000/72,000/90,000	280	
OL6RA072D48	Lowboy, Rear Flue	86.5	87	60,000/72,000/90,000	60,000/72,000/90,000	315	
OL6FA072D48	Lowboy, Front Flue	86.5	87	60,000/72,000/90,000	60,000/72,000/90,000	315	
OL6RA072DV5	Lowboy, Rear Flue	86.5	87.7	60,000/72,000/90,000	60,000/72,000/90,000	315	
OL6FA072DV5	Lowboy, Front Flue	86.5	87.7	60,000/72,000/90,000	60,000/72,000/90,000	315	
OD6RA072D48	Counterflow/Horizontal, Rear Flue	85.7	85.7	60,000/72,000/90,000	60,000/72,000/90,000	250	
OD6FA072D48	Counterflow/Horizontal, Front Flue	85.7	85.7	60,000/72,000/90,000	60,000/72,000/90,000	250	
OD6RA072DV5	Counterflow/Horizontal, Rear Flue	85.7	85.7	60,000/72,000/90,000	60,000/72,000/90,000	250	
OD6FA072DV5	Counterflow/Horizontal, Front Flue	85.7	85.7	60,000/72,000/90,000	60,000/72,000/90,000	250	
380754	TP2502 - Beckett AFG Oil Burner for 8 Series						
380836	Carlin EZ-1 Oil Burner						
380756	Riello BF3 Oil Burner for 8 Series						
OH8FA119D60	Low-Profile Highboy, Front Flue	85.8	86	101,000/120,000/132,000	101,000/120,000/132,000	390	
OH8FA119DV5	Low-Profile Highboy, Front Flue	85.8	86	101,000/120,000/132,000	101,000/120,000/132,000	390	
380737	TP1011 - Beckett AFG Oil Burner for 11 Series						
ROB-11	Riello ROB-11 Oil Burner for 11 Series						
OL11-105RDBP	Lowboy, Rear Flue	85	83	104,000	101,000	500	
OL11-105FDBE	Lowboy, Front Flue	85	85	105,000	105,000	500	
OL11-105FDBP	Lowboy, Front Flue	85	83	104,000	101,000	500	
OL11-105RDBE	Lowboy, Rear Flue	85	85	105,000	105,000	500	
OT11-105FBP	Horizontal, Front Flue, Exposed Burner	83	83	101,000	101,000	445	
OT11-105RBP	Horizontal, Rear Flue, Exposed Burner	83	83	101,000	101,000	445	
380738	TP1021 - Beckett AFG Oil Burner for 16 Series						
ROB-16	Riello ROB-16 Oil Burner for 16 Series						
OL16-125RDBP	Lowboy, Rear Flue	85	85	129,000-142,000	129,000-142,000	560	
OL16-125FDBP	Lowboy, Front Flue	85	85	129,000-142,000	129,000-142,000	560	
OL16-125RDBE	Lowboy, Rear Flue	85	85	125000	125000	560	
OL16-125FDBE	Lowboy, Front Flue	85	85	125000	125000	560	
OT16-125RBP	Horizontal, Rear Flue, Exposed Burner	83	83	125000	125000	500	
OT16-125FBP	Horizontal, Front Flue, Exposed Burner	83	83	125000	125000	500	
380739	TP1031 - Beckett AFG Oil Burner for 20 Series						
ROB-20	Riello ROB-20 Oil Burner for 20 Series						
OL20-151RD	Lowboy, Rear Flue	85	85	153000	153000	600	
OL20-151FD	Lowboy, Front Flue	85	85	153000	153000	600	
OL20-151RDE	Lowboy, Rear Flue	85	85	153000	153000	600	
OL20-151FDE	Lowboy, Front Flue	85	85	153000	153000	600	
OL33 Models Include Beckett AF Burner - You do not need to order the burner separately. OL33 Models shipped knocked down.							
OL33-200R	Lowboy, Rear Flue, Belt Drive, Burner Included	81.5	N/A	200,000	N/A	1025	
OL33-200F	Lowboy, Front Flue, Belt Drive, Burner Included	81.5	N/A	200,000	N/A	1025	

Oil Accessories

DESCRIPTION	PART NO.	FURNACE or ACCESSORY MODEL	SHIPPING WT. (lbs.)	TRADE PRICE
4" Clean Out Assembly (Cover, Gasket, T-Bar, Nut) - Pair	AOPS7586	OC2-5, OH2-16, OL2-39, OT5-16	2	
Clean Out Plug Assembly - Each	S00S4489	OH6, OD6F, OL6, OH8, OD6R, OME	1	
D6 Base	D6-BASE	OD6 Counterflow Applications Only	36	
D6 Cottage Base	D6COT-BASE	OD6 Counterflow Applications Only	46	
Optional Fan Timer	AOPS7433	Only used with models using a combination fan limit control	2	
Combustion Air Intake Hood Kit	AOPS7402	General Application	3	
Field Direct Vent Termination Kit (includes vent hood & 15' flexible vent pipe)	AOPS8393	OH6, OL6 & OD6	41	
Field Direct Vent Termination Kit (includes vent hood & 15' flexible vent pipe)	AOPS8414	OH8	42	
Sidewall Vent Accessory Kit for Beckett Burner*	AOPS8394	OH6, OH8, OL6, & OD6	4	
Sidewall Vent Accessory Kit for Beckett NX Burner*	AOPS8412	OH6	4	
Sidewall Vent Accessory Kit for Riello Burner*	AOPS8395	OH6, OH8, OL6, & OD6	3	
Blocked Vent Kit (Canadian Applications)	AOPS2686	All Oil	2	
Combustion Air Kit for combustion air only w/Beckett AF/AFG burner	AOPS8397	OH8, OH6, OD6, OL5, OL6, OL11	6	
Combustion Air Kit for combustion air only w/Beckett NX Burner	AOPS8413	OH6	6	
Combustion Air Kit for combustion air only w/Riello Burner	AOPS8416	OH6, OH8, OL6, & OD6	6	
2 Line System Kit for Riello	380705	Used on BF3/BF5 burner	1	
Touch-up Paint Maroon Cabinet	310101	All Models	1	
Touch-up Paint Silver Cabinet	310103	All Models	1	
Filter Rack, 16 x 25 in.	AOPS7547	OH5, OH6, OH11	6	
Filter Rack, 20 x 20 in.	AOPS8385	General Use	4	
Filter Rack, 20 x 25 in.	AOPS8386	General Use	4	
Filter Rack, 20 x 25 x 6 in.	AOPS7375	OH8, OH16	4	
5/11 & T11 Series	5FC	Fiber Chamber	11	
16/20 & T16 Series	16FC	Fiber Chamber	15	
Direct Drive ECM Blower Conversion Kit	AOPS7463	OH2 w/DD PSC or BD blower	45	
Direct Drive ECM Blower Conversion Kit	AOPS7464	OH5 w/DD PSC or BD blower	45	
Direct Drive ECM Blower Conversion Kit	AOPS7471	OH6 w/DD PSC blower	50	
Direct Drive ECM Blower Conversion Kit	AOPS7496	OD6 w/DD PSC blower	50	
Direct Drive ECM Blower Conversion Kit	AOPS7495	OH8 w/DD PSC blower	50	
Direct Drive ECM Blower Conversion Kit	AOPS7465	OH11 w/DD PSC or BD blower	45	
Direct Drive ECM Blower Conversion Kit	AOPS7466	OL2 w/DD PSC or BD blower	45	
Direct Drive ECM Blower Conversion Kit	AOPS7467	OL5 w/DD PSC or BD blower	45	
Direct Drive ECM Blower Conversion Kit	AOPS7539	OL6 w/DD PSC blower	45	
Direct Drive ECM Blower Conversion Kit	AOPS7468	OL11 w/DD PSC or BD blower	45	
Direct Drive ECM Blower Conversion Kit	AOPS7475	OL16 w/DD PSC or BD blower	50	
Direct Drive ECM Blower Conversion Kit	AOPS7476	OL20 w/DD PSC or BD blower	50	
Direct Drive ECM Blower Conversion Kit	AOPS7469	OC2 w/DD PSC or BD blower	45	
Direct Drive ECM Blower Conversion Kit	AOPS7470	OC5 w/DD PSC or BD blower	45	
Direct Drive ECM Blower Conversion Kit	AOPS7479	OH16 w/DD PSC or BD blower	50	
Note: Model number and serial number are required when ordering Conversion Kits as some older models can not be converted.				
* Required when using Field Direct Vent Termination Kit				

Gas Furnaces

MODEL NO.	AFUE%	MAXIMUM A/C CAPACITY (tons)	BTU/H INPUT	SHIPPING WT. (lbs.)	TRADE PRICE
GAS SINGLE-STAGE CONDENSING MULTI-POSITION MODELS (Upflow, Downflow, Horizontal)					
HIGH EFFICIENCY CTM VARIABLE SPEED BLOWER MOTOR					
CLQS1-050T36N	95	3	50,000	155	
CLQS1-075T42N	95	3.5	75,000	166	
CLQS1-100T48N	95	4	100,000	183	
CLQS1-125T60N	95	5	125,000	196	
All above gas furnaces supplied as natural gas with a propane kit included.					
POWER GAS LOWBOY FURNACES					
MODEL NO.	EFFICIENCY %	BTU/H INPUT	SHIPPING WT. (lbs.)	TRADE PRICE	
PGL20-180RDN	79.2 AFUE	180,000	600		
PGL20-180RDP	79.2 AFUE	180,000	600		
PGL20-180FDN	79.2 AFUE	180,000	600		
PGL20-180FDP	79.2 AFUE	180,000	600		
PGL33-250RN	81.0 Thermal Efficiency	250,000	1025		
PGL33-250RP	81.0 Thermal Efficiency	250,000	1025		
PGL33-250FN	81.0 Thermal Efficiency	250,000	1025		
PGL33-250FP	81.0 Thermal Efficiency	250,000	1025		
The Power Gas Lowboy model furnaces ship from Denton, NC only. Contact Customer Service at 1-800-348-5130 for lead times. For Energy Star qualified units, go to www.energystar.gov .					
GAS ACCESSORIES					
DESCRIPTION	USE WITH	PART NO.	SHIPPING WT. (lbs.)	TRADE PRICE	
Concentric Vent Kit - 2"	CHB1/CDB1-50, 75, CHX3/CDX3-75, CLHS1-075, CLQS1-050, 075	AOPS7488	11		
Concentric Vent Kit - 3"	CHB1/CDB1/CHX3/CDX3-100, 125, CLHS1-100T/P, 125P, CLQS1-100, 125	AOPS7489	11		
Sidewall Vent Cap	CHX3, CDX3, CHB1, CDB1, CLHS1, CLQS1	370191	2		
LP Conversion Kit	CHB1, CDB1	AOPS7664	1		
Nat. Conversion Kit	CHB1, CDB1	AOPS7665	1		
LP Conversion Kit	CHX1, CDX1, CHX3, CDX3	AOPS7419	1		
LP Conversion Kit	CLHS1, CLQS1	AOPS7749	1		
Nat. Conversion Kit	CLHS1, CLQS1	AOPS7745	1		
Neutralizer Kit	CHX3, CDX3, CHB1, CDB1, CMA, CMC, CLHS1, CLQS1	320095	6		
Mini Condensate Pump	CHX3, CDX3, CHB1, CDB1, CMA, CMC, CLHS1, CLQS1	AOPS7614	5		
50CLQ Base	CLQS1-050T36N	50CLQ-Base	15		
125CLQ Base	125T60N	125CLQ-Base	18		



Mobile Home/Cottage Furnaces Accessories

MODEL NO.	AFUE%	BTU/H OUTPUT	SHIPPING WT. (lbs.)	TRADE PRICE
OIL MOBILE HOME/COTTAGE FURNACES				
OME-72D36 (with PSC blower motor and Beckett AFG Burner)	86	60,000/70,000	210	
OME-72T36 (with ECM blower motor and Beckett AFG Burner)	86	60,000/70,000	210	
GAS MOBILE HOME/COTTAGE FURNACES				
GMD1-60N	81.6	49,000	150	
GMD1-80N	81	65,000	162	
CMA3-50D36N	95	48,000	175	
CMA3-75D36N	95	72,000	185	
CMC1-50D36N with PSC blower motor and integrated coil cabinet	95	48,000	195	
CMC1-75D36N with PSC blower motor and integrated coil cabinet	95	72,000	205	
CMC1-50DV3N with ECM blower motor and integrated coil cabinet	95	48,000	195	
CMC1-75DV3N with ECM blower motor and integrated coil cabinet	95	72,000	205	
MOBILE HOME ACCESSORIES				
DESCRIPTION	PART NO.	FURNACE or ACCESSORY MODEL	SHIPPING WT. (lbs)	TRADE PRICE
70-Base	70-BASE	OME, GMD, CMA	25	
Cottage Base	01COT-BASE	OME, GMD, CMA	35	
4" Stainless Steel Vent Pipe (34" long)	VP-1	OME, GMD	6	
1' Roof Jack	TRJ-1	OME, GMD	30	
2' Roof Jack	TRJ-2	OME, GMD	30	
3' Roof Jack	TRJ-3	OME, GMD	36	
Slope Adapter for roof pitch 2-1/2"—12"	TSA-25	OME, GMD, CMA, CMC	8	
Slope Adapter for roof pitch 3-1/2"—12"	TSA-30	OME, GMD, CMA, CMC	8	
2" Concentric Vent Kit with 4" Adapter for 4" Roof Jack	AOPS7483	CMA, CMC	20	
2" Concentric Vent Kit with 5" Adapter for 5" Roof Jack	AOPS7544	CMA, CMC	12	
Dual Pipe Flashing Kit	AOPS7484	CMA, CMC	10	
Combustion Air Intake Hood	AOPS7402	OME, GMD	3	
Blocked Vent Kit (Canadian Applications Only)	AOPS2686	OME	2	
Roof Jack Combustion Air Kit	AOPS7512	OME	16	
Flexible Stainless Steel Offset Vent Kit	AOPS7518	OME, GMD	3	
LP Conversion Kit	AOPS7696	GMD1-60	1	
LP Conversion Kit	AOPS7685	GMD1-80	1	
LP Conversion Kit	AOPS7742	CMA, CMC	1	
Nat. Conversion Kit	AOPS7697	GMD1-60	1	
Nat. Conversion Kit	AOPS7686	GMD1-80	1	
Nat. Conversion Kit	AOPS7743	CMA, CMC	1	
High Altitude Orifice Kit - 2001-4500 ft	AOPS7732	CMA, CMC	1	
High Altitude Orifice Kit - 4501-6500 ft	AOPS7733	CMA, CMC	1	
High Altitude Orifice Kit - 6501-8500 ft	AOPS7734	CMA, CMC	1	
GMD1-80N Upgrade Blower Kit for 3 Ton AC	AOPS2677	GMD1-80	42	
Neutralizing Kit	320095	CMA, CMC	6	
Mini Condensate Pump	AOPS7614	CMA, CMC	3	
Transition Boot with Screen	AOPS8419	OME, GMD	6	

Air Conditioning Condensers



Thermo Pride Air Conditioning condensers include a 5-year Peace of Mind Plus Limited Warranty. If the compressor fails within the first 5 years of the date of installation, we will replace the entire condenser. After the fifth year, the condenser continues to be covered by our 10-year compressor and parts warranty. The owner must register the product within 90 days of installation to activate warranty coverage. Otherwise the warranty reverts to 5-years parts and coil and standard 10-year compressor warranty. See warranties for details.

MODEL NO.	MAXIMUM CAPACITY (TONS)	LINE SET PART NO.	SHIPPING WEIGHT (lbs.)	TRADE PRICE	
TC4 SERIES 14 SEER AIR CONDITIONING					
Important note: TC4 Series Air Conditioning Condensers can only be sold in North and Southeast regions.					
TC4B2422S	2.0	LS01E-30, LS01E-50	155		
TC4B3022S	2.5	LS01E-30, LS01E-50	155		
TC4B3622S	3.0	LS01E-30, LS01E-50	180		
TC4B4821S	4.0	LS02E-30, LS02E-50	200		
TC4B6021S	5.0	3/8" / 1-1/8"	205		
TC7 SERIES UP TO 16 SEER AIR CONDITIONING					
Important note: TC7 Series Air Conditioning Condensers can only be sold in all regions.					
TC7B2421S	2.0	LS01E-30, LS01E-50	150		
TC7B3021S	2.5	LS01E-30, LS01E-50	165		
TC7B3621S	3.0	LS01E-30, LS01E-50	175		
TC7B4221S	3.5	LS02E-30, LS02E-50	220		
TC7B4821S	4.0	LS02E-30, LS02E-50	220		
PART NO.	DESCRIPTION	LIQUID/VAPOR	LENGTH (FEET)	SHIPPING WEIGHT (lbs.)	TRADE PRICE
LINE SETS					
LS01E-30	Line Set	3/8, 3/4	30	14	
LS01E-50	Line Set	3/8, 3/4	50	20	
LS02E-30	Line Set	3/8, 7/8	30	20	
LS02E-50	Line Set	3/8, 7/8	50	28	
PART NO.	DIMENSIONS L x W x H (in.)	HEAT PUMP APPLICATION	SHIPPING WEIGHT (lbs.)	TRADE PRICE	
A/C CONDENSER PAD					
400367	36 x 36 x 3	TC4B2421H, TC4B3021H, TC4B3621H, TC4B4821S,	25		
400396	36 x 48 x 3	TC4B6021S, TC7B4221S, TC7B4821S	30		

AC Evaporator Coils and Cabinets

For applications, go to the Air Conditioning Evaporator Coil Application Guide at www.thermopride.com under Literature tab and click on the link to download.

THERMO PRIDE COLOR-MATCHED CASED COILS FOR UPFLOW FURNACES

CASED COIL MODEL NO.	CABINET DIM. W X D X H (in.)	PLENUM OPENING W X D (in.)	SHIPPING WEIGHT (lbs.)	TRADE PRICE
HE33636PA212	21.25 X 21.25 X 19	19.8 X 19.8	50	
HE47636PA212	21.25 X 21.25 X 29	19.8 X 19.8	72	
HE50660PA212	21.25 X 21.25 X 29	19.8 X 19.8	72	

ADP UNPAINTED CASED COILS FOR HORIZONTAL AND LARGE CAPACITY FURNACES

CASED UNPAINTED COIL MODEL NO.	CABINET DIM. W X D X H (in.)	PLENUM OPENING W X D (in.)	SHIPPING WEIGHT (lbs.)	TRADE PRICE
HE33636CH210	21 X 21 X 20.5	19.5 X 19	50	
HE36648CH210	21 X 21 X 25.5	19.5 X 19	64	
HE47636CH210	21 X 21 X 29.5	19.5 X 19	72	
HE50660CH210	21 X 21 X 27.5	19.5 X 19.5	72	
HE50660CH230	23 X 21 X 27.5	21.5 X 19.5	72	

YOU MUST ORDER THE CABINET AND COIL SEPARATELY FOR THE APPLICATIONS BELOW. THE CABINETS BELOW ARE FOR USE WITH UNCASED COILS ONLY. COILS NOT INCLUDED WITH CABINET. SEE BELOW FOR UNCASED COIL PRICE.

DOWNFLOW CABINET APPLICATIONS

CABINET NO.	FURNACE APPLICATION	CABINET DIMENSIONS	Uncased Coil Part No.	SHIPPING WEIGHT (lbs.)	TRADE PRICE
		W X D X H (in.)	(See Uncased Coil Pricing Below)		
CE112S	OD6 Downflow	20 X 30 X 18	HE33636UA170	36	
CE312T	OD6 Downflow	23.25 X 30 X 29.5	HE47636UA205	48	
			HE50660UA205		
CE215T	CLQS1-050	17.75 X 27.8 X 18.5	HE33636UA170	30	
CE216T	CLQS1-075, 100, 125	21.25 X 27.8 X 28.5	HE33636UA200	42	
			HE50660UA205		
			HE47636UA205		
CE217T	CLQS1-125	24.75 X 27.8 X 28.5	HE33636UA200	44	
			HE50660UA205		
			HE47636UA205		

MOBILE HOME CABINET APPLICATIONS

CABINET NO.	FURNACE APPLICATION	CABINET DIMENSIONS	Uncased Coil Part No.	SHIPPING WEIGHT (lbs.)	TRADE PRICE
		W X D X H (in.)	(See Uncased Coil Pricing Below)		
CE111S	OME, GMD, CMA	18.75 X 24.75 X 20	HE33636UA170	35	

UNCASED COILS

UNCASED COIL MODEL NO.	TONS	DIMENSIONS W X D X H (in.)	SHIPPING WEIGHT (lbs.)	TRADE PRICE
HE33636UA170	2 to 3	17 X 19.5 X 17	32	
HE33636UA200	2 to 3	20 X 19.5 X 17	32	
HE47636UA205	2 to 3	20.5 X 19.5 X 27	50	
HE50660UA205	3.5 to 5.0	20.5 X 19.5 X 27	50	

Air Handlers with Optional Hydronic Heating Coils

The Advantage of our Air Handler System

The Thermo Pride air handlers are designed to be used as a stand-alone cooling, stand-alone heating or combination heating and cooling air handler. The air handlers can be installed in a upflow or horizontal applications. The cooling coil comes factory installed. In heating mode, our air handler provides up to 70° temperature rise (at 180°F entering water temperature), which provides warmer air than many air handlers on the market. All units operate on 115V and coils use 410A refrigerant.

Our air handler requires little maintenance and provides efficiency, longevity, and worry-free comfort. It also comes with our standard 10-year coil and 5-year parts warranty.



MODEL NO.	COOLING BTU/H CAPACITY	HEATING BTU/H OUTPUT ²	SHIPPING WT. (lbs.)	TRADE PRICE
COMPONENTS				
AH2436AE1 (cabinet with factory installed A/C coil) 2-3 Ton	24,000-36,000	--	130	
HC1-B (Hydronic Coil)	--	32,000-75,000	21	
UA1-C (Upflow Adapter Cabinet) ¹		--	43	
AH4260AE1 (cabinet with factory installed A/C coil) 3.5-4.0 Tons	36,000-60,000	--	180	
HC2-A (Hydronic Coil)	--	55,000-120,000	34	
UA2-C (Upflow Adapter Cabinet) ¹		--	48	

1 Return base including filter rack for upflow applications

2 Based on 180°F boiler water temperature and 7 GPM circulator

Plenums and Transitions

FURNACE MODEL	PART NO.	DIMENSIONS WxDxH (in.)	TRADE PRICE	
SUPPLY PLENUMS				
CHX3-100, OH6, CHB1-100	PK181X191	18 x 19 x 36		
AH4260AE1, OH8, OL5, OL6, OL11, OT11, VH8, VL8, VLR, VLF, CLHS1-075T, 100T, 075P, 100P, CLQS1-075T42N, 100T48N, 125T60N	PK202X202	20 x 20 x 36		
CLHS1-125P60N	PK202X234	20 x 23 x 36		
CLQS1-050T36N	PK164X202	14 x 20 x 36		
OD6	PK181X201	18 x 20 x 36		
CDB1, CHB1, CHX3-50, 75	PK151X181	15 x 18 x 36		
OH11, OT16	PK201X221	20 x 22 x 36		
VC	PK163X163	16 x 16 x 36		
VHF	PK192X192	19 x 19 x 36		
RETURN PLENUMS				
OL5	PK141X201	20 x 14 x 36		
OL6	PK181X201	18 x 20 x 36		
OL11, VL8	PK161X201	20 x 16 x 36		
OT11	PK202X202	20 x 20 x 36		
OT16	PK201X221	20 x 22 x 36		
OD6	PK181X191	18 x 19 x 36		
VC	PK163X163	16 x 16 x 36		
VLR, VLF	PK126X202	12-1/2 x 20 x 36		
TRANSITIONS				
OH6, VHF	PT1819X2020	N/A		
Transition from 18 x 19 plenum flanges to 20 x 20 6" high, includes S-Locks				
RETURN BOOT AND DROP KIT				
OH6, CHB1, CHX3, VHF, CLHS1-075T, 100T, 075P, 100P, CLQS1-050T, 075T, 100T	RD2510X2516	N/A		
Fits factory supplied optional filter rack (25 x 16), includes 25 x 10 x 60 drop, 90 degree boot and flexible starting collar				
CHB1-125, CHX3-125, OH8, VH8, CLHS1-125P, CLQS1-125T60N	RD2512X2520	N/A		
Fits factory supplied filter rack (25 x 20), includes 25 x 12 x 60 drop, 90 degree boot and flexible starting collar				

Note: Plenums ship knocked down



Confidential

Spirit Oil Furnaces

Prices effective: April 15, 2019

MODEL NO.	AFUE%	BTU/H OUTPUT	SHIPPING WT. (lbs.)	TRADE PRICE
OIL LOW PROFILE HIGHBOY FURNACES				
PSC DIRECT DRIVE BLOWER MOTOR WITH BECKETT AFG BURNER				
VHF-ABP	85	90,000/73,000/60,000	240	
ECM BLOWER MOTOR WITH BECKETT AFG BURNER				
VHF-ABT*	85	90,000/73,000/60,000	275	
* Energy Star Qualified				
OIL HIGHBOY FURNACES				
PSC DIRECT DRIVE BLOWER MOTOR WITH BECKETT AFG BURNER				
VH8FA119P60B	85	132,000/119,000/101,000	335	
ECM BLOWER MOTOR WITH BECKETT AFG BURNER				
VH8FA119T60B *	85	132,000/119,000/101,000	335	
* Energy Star Qualified				
OIL LOWBOY FURNACES (Higher Capacity)				
PSC DIRECT DRIVE BLOWER MOTOR WITH BECKETT AFG BURNER				
VLF-CBP (front flue)	85	114,000, 98,000, 87,000, 70,000	305	
VLR-CBP (rear flue)	85	114,000, 98,000, 87,000, 70,000	305	
HIGH CAPACITY				
VL8FA119P60B (front flue)	85	132,000, 119,000, 101,000	345	
VL8RA119P60B (rear flue)	85	132,000, 119,000, 101,000	345	
OIL COUNTERFLOW / HORIZONTAL FURNACES				
PSC DIRECT DRIVE BLOWER MOTOR WITH BECKETT AFG BURNER				
VC-CBP	85	97,000, 89,000, 69,000	300	
ACCESSORIES				
VC-Base	Combustible Floor Base		23	
S00S4140	4 Ton Upgrade Blower Kit for VC Series Furnaces		44	
S00S4141	4 Ton Upgrade Blower Kit for VLF, VLR Series Furnaces		44	
AOPS8393	Field Direct Vent Termination Kit (includes vent hood & 15' flexible vent pipe) for VHF Series Low Profile Highboys		41	
AOPS8414	Field Direct Vent Termination Kit (includes vent hood & 15' flexible vent pipe) for VH8 & VL8 Series Furnaces		42	
AOPS8394	Sidewall Vent Accessory Kit for Beckett Burner (Required when using Field Direct Vent Termination Kits above.)		4	
AOPS2686	Blocked Vent Kit for Highboys and VL8 Series (Canadian Applications)		2	
AOPS8397	Combustion Air Kit for Beckett AFG Burner for VHF-AB*, VH8FA119*60B, VL8		6	
AOPS7482	Combustion Air Kit for combustion air only for VL*-CBP, VC-CBP		6	
310312	Touch-up Paint for Tan Cabinet		1	

For Energy Star qualified units, go to www.energystar.gov.

Terms and Conditions

TERMS AND CONDITIONS:

This Price Book is to serve as a general reference only. Complete Terms and Conditions of sales, returns, and warranty are available through your Thermo Products sales representative or the Customer Service Department.

REGULAR DISTRIBUTOR TERMS:

1% 10 Days, Net 30. 1% Discount is not allowed on payments submitted by credit card.

1%, 10 DAY PAYMENT DISCOUNT

The 1% payment discount will be allowed provided the payment check is received on or before the 15th day following the invoice date. The extra 5 days recognizes mailing time for the payment to arrive. Please note that the 1% payment discount is not permitted on freight or tax charges.

TAXES

Add any sales tax payable under any effective statute to the quoted price. Dealers providing a state tax exemption number and form will not be billed sales tax.

FREIGHT

Distributor get free freight on orders of 20+ units and 10+ unit fill in order within 90 days of a 20 unit order in the continental United States. All other orders will be freight collect.

FREIGHT CLAIM PROCEDURE

Contact Customer Service at 800-348-5130 or 800-476-4328.

MINIMUM BILLING POLICY

A \$25 minimum bill will apply on all parts orders except orders for replacements of in-warranty defective items. Replacements for in-warranty defective parts will be billed at the straight dealer price with the notation of full credit upon return of the defective item.

RETURN GOODS POLICY

The Warranty Claim/Returned Goods Authorization Form for all Thermo Pride brand products should be submitted online at www.thermopride.com or Spirit brand products at www.spiritfurnace.com. If you do not have access to the internet, you can call 336-859-4521 and we will fax or mail you a copy of the form to fill out. Following review by the Return Goods Administrator, you will receive a response regarding claim status and instructions for the disposition of the warranty part. An RMA number will be assigned. If return of part is required, return instructions will be provided by the returned goods administrator. If instructed to return the part, send to Thermo Products, LLC at 92 West Fourth St., Denton, NC 27239. Each in-warranty item being returned must have a copy of the completed claim form in the box and the RMA number written on the outside of the box.

Return Goods Policy for Compressors and Heat Exchangers: The procedure for Warranty Claim/Returned Goods Authorization differs from the above procedure. Go to www.thermopride.com or www.spiritfurnace.com and click on the Support tab, Warranty Returns tab and download the Inspection Reports. Print this form and complete all the information required. Send the completed form to the fax or email address as indicated on the form. You will be contacted by our Tech Service Department. The Returned Goods Administrator will provide you with return instructions if required. Each in-warranty item being returned must have a copy of the completed claim form in the box and the RMA number written on the outside of the box.

For Customer Service please call 800-348-5130 or 800-476-4328.



Scan this code with your smart phone to visit our website.
www.thermopride.com



Thermo Products, LLC
P.O. Box 237
Denton, NC 27239
800-348-5130 or 800-476-4328

www.thermopride.com
www.spiritfurnace.com

MS601002 Rev. 041519